



TMS List — Trusted TMS Provider Directory

THE DEFINITIVE PATIENT RESOURCE — 2026 EDITION

The Complete TMS Buyer's Guide

Everything you need to know to choose the right TMS provider, understand your treatment options, and navigate TMS therapy with clarity and confidence.

50–60%
TMS RESPONSE RATE

~30%
FULL REMISSION

36
AVG. SESSIONS

1,100+
VERIFIED CLINICS

What You'll Learn in This Guide

- What TMS therapy actually is and how it works in plain language
- The 5 types of TMS and which one might be best for your situation
- How to evaluate and choose a quality TMS clinic
- Real patient outcomes — what the research says vs. real-world results
- What to expect at every step: consultation, mapping, and all 36 sessions
- Insurance coverage — what to ask your insurer before starting
- The questions to ask at every consultation (25 must-ask questions)
- Red flags vs. green flags: how to spot a quality TMS provider

Table of Contents

- | | |
|---------------------------|---------------------------|
| 01 What Is TMS Therapy? | 02 How Well Does It Work? |
| 03 Types of TMS & Devices | 04 Choosing a Provider |
| 05 Your Treatment Journey | 06 Insurance & Costs |
| 07 25 Questions to Ask | 08 Patient Stories |

"Before TMS, I'd tried 5 medications over 6 years. Nothing worked for more than a few months. TMS wasn't a magic cure, but it gave me enough relief to rebuild my life. I'm now 14 months in and I've tapered off 2 medications with my psychiatrist's guidance."

— Rachel K., Seattle, WA (NeuroStar TMS, 2024)

"The guide helped me know what questions to ask. I ended up choosing a clinic 45 minutes away instead of the one closest to me — because they used neuronavigation and had a psychiatrist present for every session."

— David M., Austin, TX (MagVenture TMS, 2025)

© 2026 TMS List — tmslist.com

tmslist.com

1

What Is TMS Therapy?

Transcranial Magnetic Stimulation in plain language — and why it's different from everything else you've tried.

TMS (Transcranial Magnetic Stimulation) is an FDA-cleared, non-invasive treatment for major depressive disorder (MDD) that hasn't responded adequately to antidepressant medications. It uses precisely targeted **magnetic pulses** — similar in strength to an MRI — to stimulate underactive areas of the brain associated with depression.

How TMS Works (Step by Step)

- A magnetic coil is placed gently against your scalp, over the left prefrontal cortex
- The coil generates painless magnetic pulses that penetrate ~2–3 cm into the brain tissue
- These pulses activate neurons in the dorsolateral prefrontal cortex (DLPFC) — the brain region that tends to be underactive in depression
- Repeated daily sessions (over 4–6 weeks) strengthen neural connections and reduce depressive symptoms
- You remain fully awake throughout — no sedation, no anesthesia, no recovery time
- Each session: 3–37 minutes depending on the protocol (see Types of TMS)

✓ Who TMS Is For

- Adults (18+) with major depressive disorder (MDD)
- Those who've tried 2+ antidepressants without adequate relief
- People who can't tolerate medication side effects (sexual dysfunction, weight gain, emotional blunting)
- Those seeking a non-medication, non-invasive option
- Patients who want to avoid ECT or sedation-based treatments
- People in good physical health — no seizure history, no ferromagnetic implants in the head

⚠ Important Contraindications

- History of seizures or epilepsy (relative contraindication — some protocols still possible)
- Ferromagnetic metal implants in or near the head (cochlear implants, aneurysm clips, etc.)
- Active substance abuse disorders (must be stable first)
- Pregnancy (limited data — discuss with your psychiatrist)
- Severe neurological conditions (stroke, brain tumor, MS near active lesions)
- Psychotic features or active suicidality requiring more intensive intervention

How Is TMS Different from ECT?

ECT (Electroconvulsive Therapy) induces a controlled seizure under general anesthesia in a hospital setting. It requires significant pre- and post-procedure care, anesthesia risks, and potential memory side effects. ECT is generally reserved for **severe, treatment-resistant cases or acute suicidality** where rapid response is critical.

TMS is non-invasive, requires no anesthesia, no hospital visit, and no recovery time. Sessions are outpatient. TMS is considered the **first-line non-medication treatment** for treatment-resistant depression — not a last resort.

50–60%
RESPONSE RATE

~30%
FULL REMISSION

4–6
WEEKS TO COMPLETE

<0.1%
SEIZURE RISK

2

The Evidence: How Well Does TMS Work?

What the clinical trials show — and what real-world data tells us.

Study / Source	Population	Response	Remission	Notes
NeuroStar FDA Trials	MDD, medication-free	58%	28%	4-week acute phase, daily treatment
Stanford SAINT Protocol	Treatment-resistant MDD	86%	79%	Accelerated: 10 sessions/day × 5 days = 50 total sessions. Not yet FDA-cleared.
BrainsWay Deep TMS	MDD, failed medications	64%	33%	FDA-cleared for MDD and OCD. Targets deeper brain regions via H-coil.
Clinical TMS Society	Real-world patients	50–60%	30–35%	Real-world effectiveness data across diverse clinics and patient populations.
Long-Term Follow-Up	TMS responders (12 months)	68%	~45%	Maintained response at 12 months with optional maintenance sessions.
iTBS Clinical Trials	MDD, medication-resistant	~55%	~30%	Intermittent Theta Burst — 3 min/session vs 20 min for equivalent outcomes.

What "Response" vs "Remission" Means

Response = At least 50% improvement in depression symptoms (measured by PHQ-9 or HAM-D scales). You feel meaningfully better.

Remission = Symptoms return to near-normal levels. You're not just improved — you're recovering. Remission is the goal, and about 30% of TMS patients achieve it after a single course.

3 Types of TMS — Know Your Options

Not all TMS is the same. The protocol your clinic uses affects session length, comfort, and outcome.

Protocol	Session Time	Sessions/Week	Total Sessions	FDA Status	Best For
Standard rTMS (High-Frequency)	20–37 min	5 days	36–42	FDA-cleared	Standard TRD treatment
Theta Burst (iTBS) ★ Recommended	3–9 min	5 days	36–42	FDA-cleared	Time-constrained patients. Equivalent efficacy to standard. Same outcomes in 1/5th the time.
Deep TMS (BrainsWay H-Coil)	20 min	5 days	36–42	FDA-cleared MDD + OCD	Deeper brain targets. OCD patients. Those wanting BrainsWay specifically.
SAINT Protocol (Stanford)	10 min × 10 sessions/day	10 sessions/day × 5 days	50	Research protocol (not FDA-cleared)	Severe TRD, need fast results. Available at select Stanford-affiliated or trained clinics.
Low-Frequency (LFC)	30–45 min	5 days	20–36	FDA-cleared	Patients with seizure risk concerns or tolerability issues with high-frequency.
Navigated TMS (Nexstim)	20–30 min	5 days	30–36	FDA-cleared	MRI-guided personalized targeting. Premium clinics, research settings.

iTBS: The Best-Kept Secret in TMS

Intermittent Theta Burst Stimulation (iTBS) was FDA-cleared in 2018 based on trials showing equivalent outcomes to standard high-frequency TMS — in roughly 1/5th the time (3 minutes vs. 20 minutes per session). Many clinics now default to iTBS because it's more convenient and equally effective. Ask your provider: "Do you offer iTBS?" If they say no, ask why.

4 FDA-Cleared TMS Devices — What to Ask About

The device your clinic uses matters. These are the major FDA-cleared systems.

Device	Type	Clearances	Key Features	Best Suited For
NeuroStar	Standard rTMS / iTBS	MDD, OCD	Largest provider network. Touch TMS navigation. Widest insurance coverage.	Broad insurance acceptance. Most widely available. Largest outcomes database.
BrainsWay	Deep TMS (H-coil)	MDD, OCD, Smoking	Targets deeper brain regions (6cm vs 3cm depth). No precise scalp positioning needed.	OCD patients. Those preferring deep TMS. Treatment-resistant cases.
MagVenture MagPro	Standard rTMS / iTBS	MDD	SmartCoil technology. Fractionated dosing option. European clinical base.	Flexible protocols. Clinics preferring European-manufactured equipment.
Nexstim Smart TMS	Navigated / nTMS	MDD	MRI-guided neuronavigation. Personalized brain-targeting based on each patient's brain anatomy.	Maximum precision. Research settings. Patients seeking the most individualized treatment.

5

How to Choose a TMS Provider

Your checklist for evaluating any TMS clinic — from credentials to technology to track record.

Experience & Credentials

- **Board-certified psychiatrist** supervising or performing treatment
- TMS technicians are trained and certified on the specific device
- Minimum 2+ years of TMS experience
- 100+ patients treated is a good minimum benchmark
- Treatment completion rate should be 80%+ (not many dropouts)
- Ask: "Who performs the treatment, and what's the supervision model?"
- Ask: "What happens if I miss a session?"

Technology & Protocols

- **FDA-cleared device** (NeuroStar, BrainsWay, MagVenture, Nexstim)
- Neuronavigation available (MRI-guided targeting) — preferred but not required
- **iTBS offered** — faster treatment, equivalent efficacy
- Multiple protocol options for personalized treatment plans
- Motor threshold measured at each session vs. baseline only
- Ask: "Which TMS devices do you use, and why did you choose them?"
- Ask: "Do you offer both standard rTMS and iTBS?"

Red Flags to Watch For

- ✗ Guarantees specific outcomes or cure rates
- ✗ No psychiatrist involvement — only technicians
- ✗ Pressure to start immediately without evaluation
- ✗ Not in-network with any major insurers
- ✗ No reviews or suspiciously perfect ratings
- ✗ Unwilling to explain which TMS device they use
- ✗ No outcomes data, or vague claims about success rates
- ✗ High staff turnover — ask about the team stability

Green Flags — Quality Indicators

- ✓ Board-certified psychiatrist evaluates every patient
- ✓ Clear explanation of device, protocol, and expected outcomes
- ✓ Thorough intake — they say no to patients who aren't good candidates
- ✓ In-network with major insurers, transparent self-pay pricing
- ✓ Ask for outcomes data and share it honestly
- ✓ Offer multiple TMS protocols (rTMS, iTBS, Deep TMS)
- ✓ Experienced team (2+ years, 100+ patients treated)
- ✓ Positive, verified reviews from real patients

6

Your TMS Treatment Journey

What to expect from first consultation to long-term follow-up.

Step 1 — Initial Consultation (Week 0)

45–60 minutes with a psychiatrist. They review your history, confirm your diagnosis, check TMS eligibility, and explain the process. You complete PHQ-9 and other rating scales. Bring your medication history and any relevant psychiatric records.

Step 2 — Insurance Authorization (Week 0–2)

Your clinic submits prior authorization. This takes 5–14 days typically. Once approved, you schedule your mapping session. Some clinics run auth as part of intake — ask.

Step 3 — Mapping Session / Motor Threshold (Day 1)

20–45 minutes. The coil is positioned, and the technician finds your "motor threshold" — the exact magnetic intensity needed for your brain. You'll feel a tapping sensation on your scalp. This determines your treatment dose for all future sessions.

Step 4 — Daily Treatment Sessions (Weeks 1–4)

5 days per week, every weekday, for 4–6 weeks. Each session is 3–37 minutes depending on protocol (iTBS vs standard). You drive to the clinic, receive treatment, and drive home. No sedation, no downtime.



Step 5 — Mid-Treatment Evaluation (Week 2–3)

Your psychiatrist checks your progress, typically at session 10–15. If you're responding, you continue the planned course. If not, they may adjust the treatment target, intensity, or protocol.

Step 6 — Completion & Outcome Assessment (Week 4–6)

After your final session, your psychiatrist measures your response. Patients who achieve remission or significant response often enter a maintenance protocol — fewer sessions over several months to sustain the benefit.

Step 7 — Long-Term Follow-Up

TMS is not a cure — depression can recur. Maintenance sessions (monthly or as needed) are common. Work with your psychiatrist to determine your maintenance plan. Many patients do well for 6–12+ months after a full acute course.

7

Understanding TMS Costs & Insurance

What to ask your insurer before starting — and what you'll actually pay.

\$0–\$500

TYPICAL WITH INSURANCE

\$2K–\$5K

DEDUCTIBLE + COINSURANCE

\$6K–\$12K

FULL COURSE SELF-PAY

What Affects Your Out-of-Pocket Cost?

- **In-network vs out-of-network:** In-network providers are dramatically cheaper. Always ask if the clinic is in-network with your specific plan — not just "we accept most insurance."
- **Deductible status:** If you haven't met your deductible, you'll pay the full negotiated rate until you do.
- **Copay vs coinsurance:** A flat copay (e.g., \$30/session) is better than percentage coinsurance (e.g., 20% of \$400/session).
- **Prior authorization status:** Starting without authorization means you may be liable for the full cost.
- **Number of sessions:** A full course is typically 36 sessions, but some patients need more or fewer.
- **Maintenance sessions:** Ask about costs for post-acute maintenance — these may need separate authorization.

Medicare & Medicaid Coverage

Medicare Part B: Covers TMS for treatment-resistant MDD when provided by a Medicare-enrolled provider using an FDA-cleared device. Requires documentation of 4 prior medication trials and a PHQ-9 score ≥ 10 . Approvals are generally reliable when criteria are met.

Medicaid: Coverage varies significantly by state. California, New York, Massachusetts, and Illinois have the strongest Medicaid TMS coverage. Verify with your specific state's Medicaid plan and confirm the clinic accepts Medicaid.

8

25 Questions to Ask at Every TMS Consultation

Use these questions to evaluate any TMS provider. A quality clinic will welcome them.

Provider & Credentials

1. Are you board-certified in psychiatry?
2. How long have you been performing TMS?
3. How many TMS patients have you treated?
4. Who performs the treatment sessions?
5. What is the supervision model during treatment?

Treatment & Outcomes

16. What's your treatment completion rate?
17. What percentage of your patients respond to TMS?
18. How do you measure treatment response?
19. What if I'm not responding by session 15?
20. What's your policy if insurance denies mid-treatment?

Device & Technology

6. Which FDA-cleared TMS device do you use?
7. Do you offer iTBS (3-minute sessions)?
8. Do you use neuronavigation (MRI-guided targeting)?
9. How do you determine my treatment dose?
10. Is motor threshold re-measured at each session?

Safety & Comfort

21. What are the most common side effects?
22. What do I do if I have a headache after a session?
23. Can I drive myself to and from sessions?
24. What is your seizure management protocol?

Maintenance & Long-Term

25. What does your maintenance protocol look like? How many maintenance sessions do most patients need, and how often?

Insurance & Costs

11. Are you in-network with my specific insurance?
12. Do you handle prior authorization for TMS?
13. What will my exact out-of-pocket cost be?
14. What's included in the quoted price?
15. What happens to my cost if treatment extends beyond 36 sessions?

Frequently Asked Questions

Q: Is TMS safe? What are the actual side effects?

A: TMS is FDA-cleared and considered very safe. The most common side effects are mild: scalp discomfort at the coil site (~50% of patients, resolves within the first week) and headache (~30%, responds to ibuprofen/acetaminophen). Serious side effects are rare — the seizure risk is less than 0.1%, lower than most antidepressant medications.

Q: How long do TMS results last?

A: Studies show 60–70% of TMS responders maintain their benefit at 12 months. Many patients eventually undergo maintenance sessions — monthly or as needed — to sustain the benefit. Your psychiatrist will help you determine if and when maintenance is needed.

Q: Can I continue taking my antidepressants during TMS?

A: Yes — and most patients do. Many TMS clinical trials allowed patients to remain on their current medication. TMS does not interact with medications. Some patients taper off medications after achieving remission; this should always be done under a psychiatrist's supervision.

Q: Does TMS affect memory or cognition?

A: Unlike ECT, TMS does not impair memory or cognitive function. Some patients actually report improved cognitive function ("brain fog" lifting) after TMS treatment, particularly if depression-related cognitive symptoms were present.

Q: What if TMS doesn't work for me?

A: TMS works for about half of patients. If a full course doesn't work, discuss alternatives: different TMS protocols (switching to Deep TMS or neuronavigated TMS), ECT, ketamine/esketamine therapy, VNS, or DBS. TMS is actually one of the less invasive options — if it doesn't work, there are more options ahead.

Q: Is TMS covered by the VA?

A: The VA has expanded TMS coverage significantly, particularly for veterans with TRD. VA medical centers in many cities now offer TMS. Military Tricare coverage varies by plan — check with your specific Tricare region. Active-duty service members need a physician referral.

Q: What if I miss a session?

A: Missing an occasional session is generally fine — it may slightly extend your overall timeline. However, consistent missed sessions reduce efficacy. Studies show patients who maintain a 5-day-per-week schedule have the best outcomes. Some clinics offer make-up sessions on weekends.



What Patients Say

"TMS wasn't a quick fix. It took until session 18 before I noticed a real shift. But once it kicked in, it was like someone turned the volume down on the depression. I'm now 8 months post-treatment and still feeling the benefit."

— Tom W., Portland, OR (BrainsWay Deep TMS, 2024)

"I was terrified of the needles and side effects from medications. TMS was completely different — just sitting in a chair for 20 minutes with a coil on my head. The first few sessions gave me a mild headache but nothing serious."

— Nicole B., Nashville, TN (NeuroStar, 2025)

"What surprised me most was how normal I felt during treatment. I drove myself to every session, worked in the afternoon, and had no downtime. It fit into my life in a way that hospitalization or ECT never could have."

— Marcus D., Chicago, IL (iTBS, 2024)

"My insurance initially denied it. I appealed with the help of my psychiatrist — a 15-minute peer-to-peer call changed everything. They approved it within 48 hours of the appeal. Don't take no for an answer on the first try."

— Sarah M., Boston, MA (BCBS, 2025)

Find a Verified TMS Clinic



1,100+ verified TMS clinics in our directory. Filter by insurance, device, and location.

tmslist.com/map/

Take the Candidacy Quiz



2-minute quiz based on the same criteria psychiatrists use to evaluate TMS eligibility.

tmslist.com/quiz/

Glossary of TMS Terms

Everything you need to understand when reading about TMS — from consultation to maintenance.

Treatment & Devices

TMS — Transcranial Magnetic Stimulation. A non-invasive procedure using magnetic fields to stimulate nerve cells in the brain to improve mood.

rTMS — Repetitive TMS. The standard form of TMS using repeated magnetic pulses. FDA-cleared for MDD and OCD.

iTBS (Theta Burst) — Intermittent Theta Burst Stimulation. A faster protocol (3 min/session) with equivalent efficacy to standard rTMS. FDA-cleared 2018.

Deep TMS — TMS using specialized H-coils (BrainsWay) that penetrate deeper brain structures. FDA-cleared for MDD and OCD.

Motor Threshold (MT) — The minimum magnetic intensity needed to produce a motor response (finger twitch). Used to calibrate treatment dose for each patient.

DLPFC — Dorsolateral Prefrontal Cortex. The brain target for standard TMS depression treatment. Located above and to the side of the forehead.

Neuroplasticity — The brain's ability to form new neural connections. TMS is believed to work by promoting neuroplasticity in mood-regulating brain circuits.

nTMS / Navigated TMS — MRI-guided TMS using each patient's brain anatomy for precise coil positioning. Used by Nexstim Smart TMS.

Clinical & Assessment Terms

TRD — Treatment-Resistant Depression. Typically defined as failure to respond to 2+ antidepressant medications. The standard criterion for TMS coverage.

PHQ-9 — Patient Health Questionnaire-9. A 9-question depression severity scale (0–27). Insurers typically require a score of 10 or higher for TMS authorization.

GAD-7 — Generalized Anxiety Disorder 7-item scale. Used to measure anxiety severity. Often completed alongside PHQ-9 at intake.

Response — Defined as a 50%+ reduction in PHQ-9 score. The clinical standard for "meaningful improvement" from TMS.

Remission — PHQ-9 score below 5, or a CGI-I score of 1 ("very much improved"). The goal of TMS treatment.

CGI-S / CGI-I — Clinical Global Impression — Severity / Improvement. Physician-rated scales measuring overall illness severity and change.

CPT Code — Current Procedural Terminology. Billing codes: 90867 (mapping), 90868 (treatment), 90869 (subsequent MT).

ECT — Electroconvulsive Therapy. A more invasive procedure for severe depression, often considered when TMS fails. Requires anesthesia.

FREE PRINTABLE — CUT ALONG THE EDGE

Questions to Ask Before Starting TMS

Write down your answers at your consultation. Share with your doctor.

Your Diagnosis & Eligibility

- My PHQ-9 score: _____
- Medications I've tried: _____
- Duration of current episode: _____
- Prior therapy (CBT, etc.): _____

Insurance & Logistics

- Estimated out-of-pocket cost: _____
- Session schedule: _____
- Clinic address & parking: _____
- Emergency contact info: _____

Treatment Plan & Expectations

- Device & protocol: _____
- When to expect improvement: _____
- Maintenance plan: _____
- What if TMS doesn't work? _____

My Notes

Free TMS guide — more at
tmslist.com

THE FREE RESOURCES LIBRARY

Keep going — there's more where this came from.

This guide is one piece of a free library we publish for patients researching TMS and providers running TMS clinics. Every resource below is a full PDF — no fluff, no upsell.

Insurance Coverage Checklist

PATIENT

A step-by-step walkthrough to get TMS covered.

tmslist.com/downloads/insurance-checklist.pdf →

TMS vs Medication Comparison

PATIENT

Outcomes, side effects and cost, side by side.

tmslist.com/downloads/tms-vs-medication.pdf →

TMS Billing & CPT Codes 2026

PROVIDER

Reimbursement reference for billers and coders.

tmslist.com/downloads/tms-billing-cpt-codes-2026.pdf →

Prior Authorization Template Kit

PROVIDER

Approval-ready letter and appeal templates.

tmslist.com/downloads/tms-prior-authorization-template-kit.pdf →

Patient Acquisition Playbook

PROVIDER

Channels, scripts and funnels that convert.

tmslist.com/downloads/tms-patient-acquisition-playbook.pdf →

Starting a TMS Clinic — Business Plan

PROVIDER

Full plan with pro-forma, equipment and staffing.

tmslist.com/downloads/starting-a-tms-clinic-business-plan.pdf →

Patient Outcome Tracking System

PROVIDER

PHQ-9 / GAD-7 workflow with templates.

tmslist.com/downloads/tms-patient-outcome-tracking-system.pdf →

Technician Training Checklist

PROVIDER

Onboard new TMS technicians faster.

tmslist.com/downloads/tms-technician-training-checklist.pdf →

State Regulations Guide 2026

PROVIDER

Compliance and licensure by state.

tmslist.com/downloads/tms-state-regulations-guide-2026.pdf →

Building a TMS Referral Network

PROVIDER

Outreach scripts and CRM cadence that work.

tmslist.com/downloads/building-tms-referral-network.pdf →

Browse the full library online

New guides, calculators and templates added each quarter.

tmslist.com/resources →

© TMS List — Free education for patients & providers.

tmslist.com